
Brandt

SPECIFICATIONS

- 14 place settings
- 10L water consumption
- 6 washing programs:





💠 Glass

Vortex Wash & Dry 60'

- 💠 Rapid
- 6 washing temperatures: 40°C 65°C
- Electronic buttons with LED digit display
- VORTEX washing technology
- BLDC motor, ¹⁄₂ load option
- Delay start time: 12hrs
- Adjustable upper basket + Mezzanine Cutlery rack + mobile cutlery basket
- Natural convection drying with Auto door opening



Cabinetry panels are not provided.

Brandt

Vortex Wash System



The VORTEX wash feature is positioned at the lower section of the dishwasher tub, generating a concentrated and powerful cleaning zone.



The cleaning of greasy or baked-on pots can now be accomplished with increased efficacy and excellence, alleviating concerns regarding the potential damage to delicate glasses positioned in the higher baskets.

Brandt

CONNECTIONS

- Total power for connections (W): 1930
- Current (A): 10
- Voltage (V): 230
- Frequency (Hz): 50
- Length of electrical cable (cm): 150
- Plug type: European
- Anti Overflow + Anti leakage

TECHNICAL SPECIFICATIONS

- Packed dimensions (mm): H890 x W645 x D645
- Dimensions of overall product (mm): 815 820 X W598 X D570
- Built in dimensions (mm): H820 870 x W600 x D580
- Length of inlet hose / outlet hose (cm): 150/ 135
- Gross weight (kg): 44
- Net weight (kg): 37.5



