60CM 3 ZONE ULTRABOOST INDUCTION HOB BPI1638KB



SPECIFICATIONS

- Vitroceramic glass
- Electronic touch sensitive controls
- Red LED digit display
- Quick access to power level 5 and 9
- 9 power levels + ultraboost
- Ultraboost:
 - The ultraboost function allows the hob to quickly heat up.
 - The heating process can be up to 20% faster than the classic boost function.
- Dedicated 99 minutes cooking timer
- Boil function: With 1-6L selection, you can now use this function to boil and maintain the boiling of water for cooking pasta



- · Residual heat indicator
- Small object safety
- Anti overflow
- Autostop® system
- Keypad lock
- Automatic saucepan detection
- Temperature limiter
- Low voltage, Connection error, Over Tension





Cooking Zones	#1	#2	#3
Position of zone	Front left	Rear left	Center right
Size of zone (mm)	210	160	280
Power (W)	3600	2500	3600

60CM 3 ZONE ULTRABOOST INDUCTION HOB BPI1638KB



ELECTRICAL CONNECTIONS

- Maximum electric power (W): 7400
- Current (A): 32
- Voltage (V): 220 -240
- Frequency (Hz): 50 /60
- Length of electrical supply cord (cm): 130
- Type of plug: Without

DIMENSIONS

- Dimension of product (mm): W580 x D510
- Built in dimensions (mm): W560 x D490
- Net weight (kg): 10
- Gross weight (kg): 11

60CM 3 ZONE ULTRABOOST INDUCTION HOB BPI1638KB



INSTALLATION DIAGRAM



